

Pages numbers in italics denote figures; those followed by a t denote tables.

- Aberrant ventricular conduction, 168–169, *170*, 172–173, 252, 310 (*see also* Rate related bundle branch block)
- Absolute refractory period, 3, 4, 8
- Accelerated idioventricular rhythm (AIVR), 110, 125–126, 154, *157*, 162, 335, 352–353, 367, 400, 402
- Accelerated junctional rhythm, 109–111, 154, *157*, 162, 176–177, 179, 220, 222, 224, 225
- Accessory pathway (*see* Bypass tract)
- Action potentials, 2–4, 7, *12*, *13*, *16*, 19–21, 72, 211, 224, 302, 337, 388, 407
- of non-pacemaking cells, 211
  - of pacemaking cells, 211
- Acute anterior MI, 86, 87, 98, 106, 109, 127, 128, 337, 349, 355, 356, 370, 371
- Acute coronary syndrome, 331–413
- AV block, 352–353
  - complications of acute MI, 350–358, 351t
  - IV conduction defect, 354–358
  - LBBB and, 357–358
  - left anterior descending coronary artery (LAD), 338–341
  - left circumflex coronary artery (LCx), 341–344
  - left ventricular dysfunction, 351t
  - non-ST elevation MI and unstable angina, 379–413
  - other causes of ST elevation, 358–364
  - primary angioplasty, 335–337
  - RBBB and, 354–356
  - right coronary artery (RCA), 344–350
  - right ventricular MI, 249–250, 251t
  - role of ECG in acute coronary syndrome, 331–333, 379
  - ST-elevation MI, 331–378
  - thrombolytic therapy, 334–335
  - ventricular arrhythmias, 351–352
  - ventricular arrhythmias, 351–352
  - ventricular fibrillation, 351–352
  - ventricular tachycardia, 351–352
- Acute inferior MI, 86–88, 95, 98, 100, 106, 344, 346, 349, 350, 352, 353, 370–373, 376 and AV block, 352
- Acute myocardial infarction (*see* Acute coronary syndrome)
- Acute pulmonary embolism, 46, 64, 74, 76, 78, 127, 180
- Adenosine, 165, 192, 196, 206–209, 213, 215–216, 225, 231, 235, 238, 243, 276, 280, 326, 328, 329t, 435
- Advanced AV block (*see* Atrioventricular block)
- Afterdepolarizations, 5, 185t, 224, 226
- AIVR (*see* Accelerated idioventricular rhythm)
- Aldosterone antagonist, 308t, 375, 394, 403
- Algorithms
- for diagnosing narrow complex tachycardia, 229
  - for wide complex tachycardia, 315
- Alteplase, 373, 374, 394
- Alternans (*see* Electrical alternans)
- Amiodarone, 148, 197, 216, 220, 225, 226, 234, 243, 244, 254–259, 261t, 280, 281, 284, 302, 304–307, 329t, 436–437, 439
- Aneurysm (*see* Left ventricular aneurysm)
- Angina (*see* Unstable angina)
- Angiotensin-converting enzyme (ACE)
- inhibitors, 254, 308t, 374, 375, 394, 403
- Angiotensin receptor blockers (ARB), 254, 308t, 374, 375, 394, 403
- Anode, 420, 422, 432
- Anterior MI, 28, 90, 118, 339, 341, 346, 350, 352, 354, 366–367, 370, 371
- and AV block, 355
- Anterograde conduction, 271, 272
- Antiarrhythmia devices, 111, 136, 147, 166, 377, 433
- Anticoagulation
- in atrial fibrillation, 165, 259–260
  - in atrial flutter, 243
- Antidromic atrioventricular reciprocating tachycardia (AVRT), 198, 206, 273–276, 279, 280, 310, 314, 322, 327–329
- Antitachyarrhythmia, 418t
- Antitachycardia devices, 244, 245, 430, 431
- Antithrombotic agents, 259–261, 375, 392
- ARP (*see* Atrial refractory period)
- Arrhythmogenic right ventricular dysplasia (ARVD), (*see* Right ventricular dysplasia)
- Artery, coronary, 195, 333, 338, 340–342, 344, 350–351, 369, 371, 373, 376, 392
- dominant coronary, 341–344, 346, 350, 371, 372
  - posterior descending, 119, 339, 342, 344, 346, 371
- Ashman phenomenon, 252–253
- Aspirin, 260–261, 374, 378, 393t, 394
- Asystole, 148, 151, 153, 154, 158
- Atenolol, 196–197, 225, 255, 437–438
- Atrial
- contraction, 18, 19, 83, 106, 107, 195, 225, 328, 352
  - deflection, 101
  - depolarization, 56
  - depolarization and repolarization, 57
  - enlargement, 68
  - escape rhythm, 153, 154, 167, 168
  - infarction, 351t, 372
  - ischemia, 372
  - left, 17, 66, 213, 214
  - right, 65, 213, 214
- Atrial abnormality, left, 66, 68, 69, 71, 136
- Atrial activation, 10, 100, 175, 204, 221, 262
- left, 63, 64, 67
  - right, 63, 67
- Atrial fibrillation, 246–261
- Ashman phenomenon, 252
  - aspirin, 260, 261t,
  - atrial rate, 246
  - classification, 248
  - common mistakes in, 249–252
  - control of ventricular rate (*see* Rate control)
  - conversion to sinus rhythm (*see* Rhythm control)
  - ECG findings, 246–248, 249
  - first detected, 248
  - incidence of, 165, 282
  - lone, 248, 254, 261t
  - mechanism, 248
  - nonvalvular, 248, 254
  - pacemaker (*see* Pacemaker, cardiac)
  - paroxysmal, 248
  - permanent, 248
  - persistent, 248
  - prevalence, 246, 254
  - prevention of stroke, 259–260
  - rate control, 254–256
  - rhythm control, 257–259, 437, 446–447
  - treatment of, 254–260
  - valvular, 248, 254
  - ventricular rate, 246–247
  - warfarin, 260, 261t
  - WPW syndrome and, 253, 256, 281–285
- Atrial flutter, 233–245
- ablation of, 245
  - artifacts resembling, 242
  - atrial pacing, 244–245
  - atrial rate, 233, 243
  - common mistakes in, 236, 237–241
  - complete AV block and, 235, 240
  - control of ventricular rate, 243–244
  - conversion to sinus rhythm, 244–245, 442
  - electrical cardioversion, 245
  - ECG findings, 233, 236
  - lone, 243, 245
  - mechanism of, 233, 241
  - reverse typical, 233, 242
  - therapy, 243–245
  - two to one block, 234, 237, 238, 239
  - typical, 233, 241–242
  - ventricular rate, 234
  - versus atrial tachycardia, 235, 238, 239
- Atrial pacing (*see* Pacemakers, cardiac)
- rapid, 164, 244–245
- Atrial refractory period (ARP), 427–428
- Atrial rhythm, 101, 236, 420, 421, 430
- chaotic, 154, 171, 219
- Atrial septal defect, 78, 107, 225
- repair, 208, 218
- Atrial tachycardia, 150, 152, 163, 169–170, 174, 178, 186t, 209, 211, 212, 214–216, 226–227, 231, 232, 235, 238, 239, 243, 436
- Atrial triggered pacemaker, 421
- Atrioventricular block, 80–111
- acute MI and, 86, 93, 98, 99, 100, 352, 353, 355, 356, 357, 375–376
  - advanced second degree, 83, 92–97, 93
  - atrial fibrillation and, 252
  - atrial flutter and, 234–235, 240

- Atrioventricular block (*continued*)  
 classification of, 80  
 common mistakes in, 101, 102, 103  
 complete (*see* Third degree)  
 first degree, 83–87, 104t, 145–147  
 high grade (*see* Advanced second degree)  
 His recording and, 100–101  
 indications for pacing, 104t, 104, 105, 107  
 infranodal, 89–90  
 localizing site of, 85, 98, 100  
 nodal 87–89  
 permanent pacing in, 104t  
 physical findings in, 105–106  
 second degree, 83–89  
 third degree, 97–102, 104t, 104–105  
 three to one, 93  
 treatment of, 96–97, 107  
 two to one, 92, 93  
 type I (AV Wenckebach), 83–89  
 type II (Mobitz II), 89–92, 91, 89–90, 92
- Atrioventricular nodal reentrant tachycardia (AVNRT), 185t, 187–197, 199–200, 202, 206, 207, 212, 215, 217–218, 225, 227–231, 238
- Atrioventricular node, 9, 10, 112, 174, 263
- Atrioventricular reciprocating tachycardia (*see* Atrioventricular reentrant tachycardia [AVRT])
- Atrioventricular reentrant tachycardia (AVRT), 185t, 187, 190, 192, 194, 196, 198–207, 212, 215–218, 225, 227–230, 272–276, 278–280, 282, 310
- Atropine, 88, 89, 92, 96, 108–109, 165, 180, 223, 371, 376, 438, 440, 441, 443  
 small doses of, 438
- Atypical AVNRT, 190, 193, 194, 199, 215–217, 227, 229–231
- Atypical AVRT, 199, 202, 203, 205, 206, 215–217, 227–231
- Automatic cells, 7, 8, 181, 182, 186t, 292
- Automatic defibrillator, 128, 308t, 309, 352, 355
- Automaticity, 2, 7, 182, 439, 443, 445  
 enhanced, 181, 185–186, 195, 211, 215–216, 218, 220, 221, 224, 226, 301, 436  
 triggered, 209, 212, 226
- AV block (*see* Atrioventricular block)
- AV dissociation, 100, 106, 111, 251, 315, 317–319, 328
- AV junction, 7, 8, 19, 87, 96–98, 104t, 105, 108, 109, 149, 153–154, 161–163, 167, 174–176, 178, 179, 185t, 186t, 212, 224, 292
- AV junctional escape rhythms, 97, 154
- AV junctional rhythm, 88, 98, 107, 109, 153, 162, 220, 402
- AV junctional tachycardia, 212, 215, 220
- AV nodal ablation, 256
- AV Wenckebach (*see* Atrioventricular block)
- AVNRT (*see* Atrioventricular nodal reentrant tachycardia)
- AVRT (*see* Atrioventricular reentrant tachycardia)
- Bazett formula, 13, 20
- Beta blockers, 148, 149, 182–183, 196–197, 207, 208, 215, 216, 220, 225, 243, 244, 254–258, 304, 305, 307–308, 374, 394, 436–438, 440, 441, 445, 446
- Bi-atrial enlargement, 65–66
- Bidirectional ventricular tachycardia, 295, 298
- Bifascicular block, 121, 122, 129, 134, 136, 138, 140–142, 145–146, 321, 323, 327
- Bigeminy, 159–160, 169, 170, 172–173, 289, 290, 300
- Bilateral bundle branch block, 138–140, 145
- Biphasic QRS complexes, 318, 316
- Bipolar electrodes, 420, 422, 432
- Biventricular hypertrophy, 46, 75, 77
- Biventricular pacemakers, 136, 430–433
- Blocked premature atrial complexes, 101, 103, 158–160, 164, 168–170, 172–174, 178
- Bradycardia-dependent bundle branch block, 133–134
- Broad complex tachycardia (*see* Wide complex tachycardia)
- Brugada ECG, 304–305, 309, 359, 361–363
- Brugada syndrome, 6, 21, 299, 301, 303–304, 309, 362, 433
- Bundle branch block, 120–137  
 acute MI and (*see* Acute coronary syndrome)  
 bilateral, 138, 139, 140, 141  
 incomplete LBBB, 72, 129  
 incomplete RBBB, 74, 124  
 left, 128–137  
 rate related, 127, 131, 133, 134, 204–206  
 right, 120–128
- Bundle branch reentrant tachycardia, 294
- Burst pacing, 430, 431
- Bypass tract, 263–272  
 auscultatory findings, 271  
 concealed, 200, 206, 263–264  
 location, 203–205, 265–269, 275–276  
 manifest, 200, 206, 263  
 rapidly conducting, 199, 206  
 slowly conducting, 199, 206
- Calcitonin, 409, 410
- Calcium, 5–6, 20, 302, 396, 403, 404, 409, 410, 412, 438
- Calcium channel blockers, 80, 106, 108, 146, 149, 183, 195–197, 208, 215, 216, 243, 244, 254–256, 258, 281, 285, 302, 394  
 nondihydropyridine, 183, 255
- Calcium chloride, 404, 412, 447
- Cardiac  
 markers, 332, 335, 346, 369  
 pacemakers, 414–433  
 resynchronization therapy, 136, 137, 432  
 rotation, 39–40, 46, 47  
 troponins, 333, 368, 369, 373, 379, 381, 383, 392
- Cardiomyopathy, tachycardia-mediated, 212, 215, 216, 225, 226, 245, 256
- Cardioversion, 257t, 260, 296, 305, 306, 431, 440, 442  
 direct current, 243–245, 258, 259t, 284
- Carotid sinus pressure, 158, 164, 195, 208, 235, 238, 250, 251, 280, 326, 327, 328
- Cathode, 420, 422
- Chamber enlargement and hypertrophy, 62–79  
 bi-atrial, 65–66  
 combined ventricular, 75–77  
 left atrial, 64–65, 66–68  
 left ventricular, 68–73  
 right atrial, 62–64  
 right ventricular, 73–75, 77–78
- Children, 13, 19, 20, 31, 40, 44, 117, 127, 212, 223, 225, 232, 246, 286, 299, 301, 379–381
- Chronic obstructive pulmonary disease (COPD), 19, 46, 63, 73, 75, 116, 219, 220, 225, 254, 256
- Chronotropic incompetence, 149, 163
- Clockwise rotation, 40–42, 46, 74, 77, 118, 367
- Clopidogrel, 374, 378, 393t, 394, 445
- Compensatory pause, 131, 169, 172, 173, 287, 296
- Complete atrioventricular (AV) block, 80, 86–90, 92, 96–111, 127, 128, 136, 138–139, 142, 143, 145–148, 235, 236, 250, 252, 371, 423, 424, 427, 428, 431, 432 (*see also* Atrioventricular block)
- Complete atrioventricular (AV) dissociation, 98, 99, 105–107, 109–111, 177, 178, 221, 224, 227–228, 230, 250, 310, 311, 313, 314, 318, 321, 326, 327, 352, 357
- Complete right bundle branch block (*see* Bundle branch block)
- Complete vagal blockade, 108, 376, 438
- Concealed bypass tracts, 200, 204, 206, 207, 263, 285
- Concealed conduction, 101, 103
- Concordance  
 negative, 321, 322  
 positive, 321–322
- COPD (*see* Chronic obstructive pulmonary disease)
- Coronary arteries, 5, 61, 332, 333, 337–339, 340, 341, 342, 343, 346, 350, 365, 370, 371, 385–387, 392
- Coronary vasospasm, 21, 332–333, 368
- Cough CPR, 165
- Counterclockwise rotation, 40–42
- Coupling intervals, 174, 289, 293, 299–301  
 long, 289  
 short, 289
- Delta wave, 15–16, 21–22, 44, 200, 206, 263–266, 269–274, 276, 277, 279, 283, 284, 325, 367  
 negative, 265, 268, 279
- Depolarization, 3, 6–8, 10–12, 16, 20, 55–61, 70, 72, 226, 302, 383, 385, 389, 390, 445  
 and repolarization, 55–57, 59, 61, 126, 365
- Diastole, 7, 16–17, 21, 61, 69, 71, 107, 289, 389, 390  
 electrical, 14–18, 388, 391
- Diastolic depolarization, 134, 185t, 211, 226  
 slow spontaneous, 3, 7, 181
- Digibind, 108, 439–440
- Digitalis, 5, 71, 80, 83, 87, 96, 106, 108, 179, 185t, 186t, 215–216, 224–227, 235, 239, 243–244, 250, 251, 258, 280, 281, 285, 298, 301, 387, 403, 412, 439, 440
- Digoxin, 195–197, 207, 208, 244, 254–258, 281, 285, 437–440  
 dose of, 439  
 levels, 225, 258, 439, 440, 446
- Diltiazem, 146, 174, 183, 196–197, 208, 216, 220, 243, 244, 255–257, 394, 437, 440, 447
- Dipole, 55–56

- Discordant ST segment depression, 358, 359  
 Disopyramide, 243, 257t, 280, 284, 302  
 Dobutamine, 89, 135, 165, 223, 225, 376, 440–441, 443  
 Dofetilide, 257–259, 302  
 Dual chamber pacemakers (*see* Pacemakers, cardiac)
- Early afterdepolarizations, 185t, 226  
 Early repolarization, 20, 359–361, 382  
 Ebstein's anomaly, 127, 271, 329  
 Effective refractory period, 4, 8, 444  
 Electrical alternans, 52–54, 203, 205, 216  
 Electrical axis, 29, 31, 32, 36, 47, 114, 117  
   and cardiac rotation, 30, 31, 33, 35, 37, 39, 41, 43, 47, 367, 379  
 Electrolytes, abnormalities, 21, 107, 174, 216, 299, 307, 308t, 329t, 352, 359, 361, 392, 396, 397, 399, 401–405, 407, 409–413  
 End-diastolic PVCs, 289  
 Endocardium, 2, 6, 11, 20–21, 57, 59–61, 68, 69, 71–72, 112, 126, 327, 385, 390–391  
 Enoxaparin, 374, 393  
 Epicardial cells, 6, 20, 21, 61, 304, 391  
   potential duration of, 21, 390  
 Epicardium, 4, 6, 11, 20, 21, 57–61, 68, 69, 71, 72, 126, 327, 362, 383, 385, 390–391  
 Epinephrine, 89, 92, 96, 108, 165, 180, 303, 305, 438, 441, 444, 446  
 Epsilon wave, 16, 21, 22, 28  
 Equiphase, 31–34, 36, 37, 39–42  
 Erythromycin, 302  
 Escape  
   beats, 94, 96  
   interval, 417t, 419–420  
   rhythm, 87, 88, 92, 97–100, 102, 104–106, 108, 146, 149, 153, 154, 161–163  
 Esmolol, 196, 197, 225, 244, 255, 257t, 438, 441, 442  
 Exit block, 149–151, 163
- Fascicular Block, 47, 92, 112–113, 117, 119–121, 127, 145–147, 321, 327, 351t, 355, 366, 371  
   alternating, 138, 145  
 Fast sodium channels, 5–8, 302, 303  
 First-degree AV block, 80–83, 89, 99, 107, 139, 143, 145–147  
 First diagonal branch, 339–343, 351t, 366, 370  
 Flecainide, 216, 225, 243, 244, 257–259, 276, 279, 280, 284, 304, 329  
 Flutter, atrial (*see* Atrial flutter)  
 Flutter, ventricular, 294, 297, 299  
 Focal atrial tachycardia, 190, 194, 196, 209, 211–218, 225, 227–232, 279, 280, 436  
 Focal atrial tachycardia junctional tachycardia, 228  
 Focal junctional tachycardia, 221, 223–226, 231  
 Fondaparinux, 374, 393  
 Frontal plane, 24, 26–27, 30–32, 36, 58–60, 62–65, 116, 121–123, 145, 180, 269, 270, 289, 291, 292, 298, 346, 379–380  
 Fully compensatory pause, 288, 289  
 Fusion complexes, 262, 271, 276, 282, 289, 293, 294, 299, 311–314, 327, 397, 404–406, 408  
   wide complex tachycardia, 312
- Ground electrode, 24–28  
 Group beating, 85–86  
 Heart block (*see* Atrioventricular block)  
   rate, 12–14, 20–21, 48–51, 53, 89, 96, 107, 108, 134, 149, 182, 247–249, 252, 255, 256, 298, 299, 360–361, 437–441  
   rate and voltage, 48, 49, 53, 234  
   rate meter stick, 49, 51  
   rate table, 49  
   rates, calculating, 49  
 Heparin, 374, 375  
 His-Purkinje  
   cells, 2, 7  
   system, 3, 5, 7, 10, 14t, 15, 18, 21, 81, 85, 90, 91, 94, 96, 105, 146, 168, 444, 445  
 Hisioventricular fiber, 285  
 Horizontal plane, 27, 30, 36, 38, 39, 58–60, 62, 63, 65, 180, 342, 379, 380  
 Hypercalcemia, 16, 20, 216, 396, 408–410, 413  
 Hyperkalemia, 21, 148, 158, 163, 179, 305, 359, 361, 381–382, 396–397, 401–404, 407–408, 411, 412  
   severe, 397, 399–404  
   treatment of, 403  
 Hypersensitive carotid sinus syndrome, 158, 163, 164, 441  
 Hypertension, 21, 67, 70, 72–73, 79, 117, 119, 127, 134–136, 146, 243, 248, 254, 255, 260, 261t, 374, 441–446  
 Hypocalcemia, 299, 396, 397, 402, 409–413  
   symptoms of, 412  
 Hypokalemia, 14t, 15, 21, 216, 225, 299, 302, 304, 307, 396, 404–408, 410, 412, 413  
 Hypomagnesemia, 216, 220, 299, 302, 307, 407, 412, 444  
 Hypothermia, 16, 20, 22, 107, 148, 305, 359, 362, 364, 438  
 Hysteresis, 417t, 419, 420
- IART (*see* Intra-atrial reentrant tachycardia)  
 Ibutilide, 197, 244, 256–259, 276, 279–281, 284, 302, 329t, 442–443  
 ICD (*see* Implantable cardioverter defibrillator)  
 Idiopathic Hypertrophic Subaortic Stenosis (IHSS), 367  
 IHSS (*see* Idiopathic Hypertrophic Subaortic Stenosis)  
 Implantable cardioverter defibrillator (ICD), 375–376, 431–433  
 Inappropriate sinus bradycardia, 149, 159, 161, 163  
 Inappropriate sinus tachycardia, 180–183, 212  
 Incomplete LBBB, 128, 129, 298  
 Incomplete RBBB, 124, 127  
 Increased voltage, 19, 68–69, 71, 72, 76, 77  
 Inferior myocardial infarction (MI), 44, 45, 113, 115–117, 119, 344, 346, 350, 354, 366, 370, 372  
   and AV block, 352  
   diagnosis of, 366  
 Infranodal block, 86, 88–89, 92–94, 96, 98–100, 102, 106, 109, 138, 375, 438, 440, 441, 443  
 Injury  
   diastolic current of, 386, 388–391  
   subendocardial, 342, 344, 345, 385, 386, 389, 391  
 INR (*see* International normalized ratio)
- Insulin, 403, 404, 407  
 Intermittent preexcitation, 264, 272  
 Intermittent right bundle branch block, 125, 126  
 International normalized ratio (INR), 260–261, 373  
 Internodal tracts, 4  
 Intra-atrial block, 66–68  
 Intra-atrial reentrant tachycardia (IART), 187, 207–209, 218  
 Intra-atrial reentry, 186t, 215  
 Intracellular potassium, acute shift of, 402, 403  
 Intraventricular conduction defect, 20, 42, 47, 112, 113, 117, 119–121, 125, 127, 129, 131, 133, 135–139, 355, 370–372, 375, 376, 432  
 Intraventricular conduction system, 1–2, 9, 10, 57, 87, 92, 105, 112, 125, 134, 272, 370  
 Intrinsicoid deflection, 57, 58  
 Ionized calcium, 408, 409, 412  
   level of, 409, 412  
   normal level of, 410, 412  
 Ischemia, myocardial (*see* Myocardial ischemia)  
 Isoproterenol, 89, 92, 96, 165, 174, 304, 307, 441, 443
- J point, 11, 12, 15, 18, 20  
 J point elevation, 20  
 J wave, 20 (*see also* Osborn wave)  
 JT interval, 18, 412  
 Jugular venous pulse, 105–108  
 Junctional escape rhythm, 88, 97–99, 106, 154–155, 158, 161  
 Junctional rhythm, 98, 100, 110, 155, 176–178, 224, 225, 397  
   accelerated, 176–177, 722  
 Junctional tachycardia, 105, 109–111, 176, 177, 186t, 193, 209, 212, 215, 217, 220–221, 223, 224, 227–232  
   automatic, 221, 225  
 Juvenile pattern (*see* Persistent juvenile pattern)
- Ketozazole, 302
- L-type calcium channels, 302, 304  
 LAD (*see* Left anterior descending)  
 LAFB (*see* Left anterior fascicular block)  
 Late afterdepolarizations, 185t, 226  
 Late impulses, 167, 168  
 Late transition, 40–42, 46  
 Lateral MI, 117, 118, 342, 367  
 LBBB (*see* Left bundle branch block)  
 LCx (*see* Left circumflex)  
 Left anterior descending (LAD), 31, 291, 338–343, 350–351, 370–371  
   coronary artery, 119, 127, 336–338, 343, 366, 377  
 Left anterior fascicle, 2, 10, 112–114, 116, 117, 119, 127, 292, 298  
 Left anterior fascicular block (LAFB), 28, 47, 72, 86, 99, 113–117, 119–123, 125, 127, 132t, 133, 138–142, 144–145, 354, 356  
   diagnosis of, 114  
 Left atrial  
   conduction delay, 136  
   enlargement, 64–68, 79  
   origin, 213, 214  
   pressure, 17, 71  
   tachycardia, 215

- Left axis deviation, 30, 31, 68, 69, 71–72, 113, 115–117, 119, 122, 123, 130, 133, 145, 269, 270, 291, 293, 320, 321, 327, 356
- Left bundle branch block (LBBB), 90, 91, 112, 127–141, 145, 146, 205, 206, 266, 267, 289, 291–292, 318–321, 323, 334–335, 357–359, 361–362, 366–368, 371–372, 432, 433
- configuration, 276, 278, 322, 422 (*see also* pattern)
- pattern, 269, 401
- Left circumflex (LCx), 4, 5, 338–346, 350–351, 370–372, 377, 386
- coronary artery, 4, 5, 345, 370, 386
- Left posterior fascicle, 2, 10, 112–114, 116, 117, 119, 121, 129, 134, 138, 293, 295, 298
- Left posterior fascicular block (LPFB), 113, 116–118, 120, 122–123, 132t, 138, 141, 144, 353, 354
- diagnosis of, 117, 119
- Left-sided bypass tract, 204, 265–268, 271, 276, 279, 285
- Left-sided posteroseptal bypass tract, 268, 269, 279, 283
- Left ventricular aneurysm, 359, 363, 365
- hypertrophy (LVH), 6, 19, 21, 46, 58, 67–73, 76–79, 116, 117, 129, 133, 135, 266, 267, 359, 361–362, 366, 385–387
- hypertrophy, regression of, 72, 73
- origin of PVC's, 292
- strain, 68–71, 385
- Lidocaine, 306–307, 329t, 444
- Limb electrodes, 24, 26, 27, 52
- Long QT syndrome, 22, 299, 301–304, 307, 309, 433
- Low voltage, 19, 46, 52, 77
- LPFB (*see* Left posterior fascicular block)
- LVH (*see* Left ventricular hypertrophy)
- Magnesium deficiency, 444
- Mahaim fibers, 285
- Management of ST elevation MI, 375, 376, 445
- Manifest bypass tracts, 200, 206, 207
- MAT (*see* Multifocal atrial tachycardia)
- Metoprolol, 196–197, 225, 244, 255, 257t, 437–438, 444–445
- MI (*see* Myocardial infarction)
- Mitral
- regurgitation, 70, 129, 135, 136, 254, 372, 392
  - stenosis, 46, 67, 73, 78, 254, 260
  - valve, 17, 67–69, 71, 106, 259t, 339
- Monomorphic VT, 294, 299, 305–308, 329t, 446
- Monophasic shock, 306–308
- Morphine sulfate, 374, 394
- Multifocal atrial rhythm, 169, 171, 219
- Multifocal atrial tachycardia (MAT), 169, 171, 212, 218–220, 227–229, 232, 250, 251, 436, 440, 447
- Muscle cells, 1–3, 5–8, 10, 12, 15, 19, 55, 56, 61, 98, 125, 126, 167, 263, 274, 327
- Myocardial infarction (MI), 85–87, 99, 100, 115, 116, 127, 128, 135, 146, 323, 324, 327, 328, 342–345, 347–348, 350, 351t, 353–359, 366–368, 371–373, 376–379, 395
- acute anteroseptal, 99, 339, 353, 356, 358
- Myocardial injury, 383, 385, 386, 388, 390–392
- Myocardial ischemia, 379–395
- non-ST elevation MI, 379–395
  - ST depression, 383–387
  - ST elevation, *see* ST-elevation MI, 383
  - ST segment in, 383–390
  - subendocardial, 380–381, 382, 383, 385
  - T waves in, 380–381
  - transmural, 380–381, 383, 384
  - unstable angina, 379–395
- Myocardial necrosis, 332, 334, 368, 369, 373, 379, 390–392
- Myopotentials, 417t, 419
- Narrow complex AVRT, 198, 199, 204–206, 272–273, 276, 278
- Narrow complex tachycardia (*see* supraventricular tachycardia)
- Nitroglycerin, 332, 333, 368, 373, 374, 376, 394
- Non-ST elevation myocardial infarction (MI), 331, 332, 337, 365, 369, 374, 376, 379, 381, 383, 386, 391–394
- and unstable angina, 21, 379, 381, 383, 385, 387, 389, 391, 393t, 395
- Nondihydropyridine calcium channel blockers, 148, 174, 197, 208, 220, 225, 244, 255–257, 440, 447
- Nonparoxysmal junctional tachycardia, 179, 186t, 212, 220–226, 228
- Nonsustained VT, 294, 301, 308t, 309, 376, 433 (*see also* Ventricular tachycardia)
- Norepinephrine, 180, 445
- Normal AV conduction system, 80, 167, 173, 175, 184, 188, 198, 209, 215, 220, 262, 269, 271, 273, 310
- Normal axis, 30–31, 39, 116, 136, 291
- Normal quadrant, 30, 31
- Normal rotation, 40, 41
- Normal sinus rhythm, 189–192, 196, 200–202, 206–208, 213, 235, 242–245, 254–260, 265–266, 270–273, 298–299, 322–325, 327, 435–438, 440–443, 445–447
- Orthodromic AVRT, 198, 205–207, 273, 274, 276, 281
- Osborn wave, 15–16, 20–22, 362, 364, 408
- Overdrive pacing, 186t, 307, 431
- Oversensing, 417t, 419, 432
- P-mitrale, 64–67, 69
- P-pulmonale, 62, 64, 73–75, 77
- Pacemakers, cardiac, 414–433
- atrial demand, 416, 420, 421
  - atrial fibrillation, 256, 419, 424, 426
  - atrial flutter, 244, 245, 426, 429
  - atrial fixed rate, 416, 420
  - atrial, single chamber 414–415
  - atrial synchronous, 428
  - biventricular, 432
  - cardioverter/defibrillators, 418t, 430–431, 433
  - demand, 415, 417
  - dual chamber, 423–426
  - electrodes, 420–422
    - bipolar, 420, 422
    - unipolar, 422
  - fixed rate, 415, 417
  - hysteresis, 417, 419, 420
- indications for, 104t, 146–147, 159, 162
- AV block, 104t
  - IV conduction defect, 146–147
  - sinus node dysfunction, 159, 162
- modes, 416–421, 424–426, 428–430
- AAI, 416, 417t, 420, 421
  - AAT, 416, 417t, 420, 421
  - A00, 416, 417t, 420, 421
  - DDD, 424–426, 429
  - DDI, 430
  - DVI, 428, 429
  - VAT, 428, 429
  - VDD, 428, 429, 430
  - V00, 416, 417, 418, 419
  - VVI, 416, 417, 418, 419
  - VVIR, 416
  - VVT, 416, 419, 420, 421
- mode switching, 429
- oversensing, 417
- Pacemaker-induced left bundle branch block pattern, 422
- Pacemaker-induced right bundle branch block pattern, 422, 423
- Pacemaker-mediated tachycardia (PMT), 427–428, 432
- sinus tachycardia and DDD pacing, 426, 428
  - syndrome, 83, 88, 104t, 225, 422, 423, 431, 432
  - temporary, 92, 169, 307, 440, 443
  - triggered (*see* AAT and VVT)
  - ventricular demand, 415–416,
  - ventricular fixed rate, 415, 418
  - ventricular, single chamber, 414,
  - ventricular tachycardia, 430, 431, 433
- Pacemaker-induced QRS complexes, 45
- PACs (*see* Premature atrial complexes)
- Pamidronate, 410
- Papillary muscle rupture, 351t, 372
- Papillary muscles, 135, 136, 339, 342, 343, 350, 351
- Parasytolic impulses, 294, 301 (*see also* Ventricular parasystole)
- Paroxysmal atrial tachycardia (*see* Paroxysmal supraventricular tachycardia)
- Paroxysmal junctional tachycardia, 212, 223, 225 (*see also* Paroxysmal supraventricular tachycardia)
- Paroxysmal supraventricular tachycardia, 210, 435, 440, 447
- Pathologic Sinus Tachycardia, 180, 181, 183, 211
- PCI (*see* Percutaneous coronary intervention)
- Peak time (*see* R peak time)
- Percutaneous coronary intervention (PCI), 127, 334, 336, 373–375, 379, 392, 393
- Pericardial effusion, 53–54, 69
- Pericarditis, 164, 182, 254, 359–361, 381, 391
- acute, 21, 359, 362–364, 377
- Permanent atrial fibrillation, 248
- Permanent pacemakers (*see* pacemakers, cardiac)
- Persistent atrial fibrillation, 257t, 258, 261
- Persistent juvenile pattern, 380, 381
- Phenytoin, 225, 307
- PJC (*see* Premature junctional complex)
- PMT (*see* Pacemaker-mediated tachycardia)
- Polymorphic ventricular tachycardia (PVT), 295–299, 307–309, 442 (*see also* Ventricular tachycardia)

- Posterior MI, 44, 342–344, 367  
 Posterolateral MI, 342, 345, 347, 348, 371, 372, 386  
 Posterolateral wall, 338, 341, 342, 345, 347, 350, 370, 371  
 Posteroseptal area, 203, 206, 266, 267  
 Postural orthostatic tachycardia syndrome (POTS), 181–183  
 Potassium  
 channel, 6, 303, 436, 442, 444, 445  
 transport, 303–304  
 Potassium level serum, 361, 397, 403–404, 407  
 Potential duration, 6, 59, 61, 134, 301, 304, 383, 390, 442, 444–446  
 POTS (*see* Postural orthostatic tachycardia syndrome)  
 PR interval, 12, 15, 18, 19, 80–87, 89–96  
 normal, 81, 82  
 PR segment, 15, 19  
 Precordial electrodes, 27, 36, 39–47, 53, 59, 339  
 right-sided, 348  
 Precordial thump during ventricular fibrillation, 305  
 Preexcitation, 16, 200, 206–207, 253, 255, 262–265, 270–272, 276–283, 285, 311, 313, 322, 324, 325, 327, 328, 367, 381 (*see also* Wolf-Parkinson-White syndrome)  
 Premature atrial complexes (PACs), 101, 103, 158–160, 164, 167–174, 176, 178–179, 181, 188, 198, 207, 241, 248, 250, 253, 273–274  
 aberrantly conducted, 168–170, 172  
 nonconducted, 159, 160, 164, 168, 172  
 Premature junctional complex (PJC), 167, 174–179  
 Premature supraventricular complexes (*see* Premature atrial complexes)  
 Premature ventricular complexes, 101, 287, 289–293  
 Pressure overload, 64, 70–72, 78  
 Procainamide, 197, 216, 243, 244, 256, 257t, 276, 279–281, 283, 284, 302, 304, 306, 307, 329t, 445–446  
 Propafenone, 197, 216, 225, 243, 244, 257–259, 280, 281  
 Propranolol, 183, 196–197, 225, 244, 255, 437, 438, 446  
 Pulmonary disease, 62, 64, 117, 119, 174, 243, 245, 248, 260  
 Pulmonary hypertension, 46, 64, 68, 78, 107, 120, 127  
 Pulmonary veins, 1, 172, 211, 212, 215, 225, 232, 241, 242, 249, 253, 256, 259  
 Purkinje fibers, 1, 2, 10–11, 57, 61, 112, 114, 383, 385, 390, 404  
 network of, 2, 5, 57, 112, 116, 119  
 PVCs (premature ventricular complexes), 131, 168, 169, 171–174, 287–294, 298–301, 308t, 309  
 PVT (*see* Polymorphic ventricular tachycardia)  
 QRS axis, 36–39, 72, 73, 77, 113, 114, 116, 117, 119, 122, 127, 321, 380  
 normal, 30, 31  
 QT dispersion, 20, 301  
 QT interval, 12–18, 20, 258, 296, 299, 301–303, 307, 381, 391, 396, 397, 401, 404–408, 410, 412, 442, 444, 445  
 corrected, 13, 402  
 long (*see* QT prolongation)  
 normal, 298, 404, 407  
 prolonged, 20, 298, 302, 412, 444, 445  
 short, 303, 397, 408  
 QT prolongation, 299, 302, 307, 436  
 QTc (*see* QT interval)  
 QTc interval (*see* QT interval)  
 Quadrants, 30, 31  
 northwest, 30, 74, 75, 77  
 Quadrigeminy, 289, 290  
 Quinidine, 21, 234, 243, 257–259, 280, 284, 302, 304, 439, 446  
 R peak time, 58, 88, 120, 125–126, 128, 132  
 R-P Interval, 201, 230  
 R-R Interval, 13, 14  
 Radiofrequency ablation (RA), 127, 183, 206, 208, 231, 242, 245, 256, 278, 281, 284–286, 298  
 Rate-related bundle branch block, 131, 133, 135, 204–205, 205, 310  
 RBBB (*see* Right bundle branch block)  
 RCA (*see* Right coronary artery)  
 Reciprocal ST depression, 304, 337–339, 341, 342, 344–348, 360, 362, 370–372  
 Reentrant junctional tachyarrhythmias, 210, 232  
 Refractory period, 3–4, 8  
 absolute, 3–4, 8  
 effective, 4, 8  
 relative, 4, 8  
 Relative refractory period, 4, 8  
 Repolarization, 3–8, 12, 14–16, 18, 20–21, 55–57, 59–61, 70, 72, 224, 289, 301, 302, 304, 383, 385, 390  
 direction of, 60, 383, 385  
 wave, 19, 55–57, 60, 383, 385, 391  
 Resting potential, 3–8, 12, 55, 211, 302, 386, 388–389, 402, 406  
 Retrograde conduction, 107, 224, 272, 274, 289, 329t, 422, 423, 427 (*see also* ventriculoatrial conduction)  
 Reverse typical, atrial flutter, 233, 242  
 Right atrial enlargement, 62–66, 74–77, 118  
 Right atrial pressure, 107  
 Right axis deviation, 30, 31, 44, 46, 73, 74, 76–78, 116–117, 119, 122, 123, 130, 145, 291, 292, 321, 327  
 Right bundle branch block (RBBB), 42–43, 98, 99, 112, 119–128, 132t, 134–136, 138–141, 144–145, 205, 291–293, 295, 310, 316, 319, 351–352, 354–356, 371–372  
 configuration, 157, 169, 275, 278, 322, 422, 423  
 pattern, 252, 318, 363  
 preexistent, 322, 324  
 Right coronary artery (RCA), 4, 5, 338–339, 342, 344, 346–351, 370–372  
 Right-sided anteroseptal bypass tract, 269, 270  
 Right-sided bypass tract, 204, 205, 265–269, 271, 276, 277  
 Right-sided posteroseptal bypass tract, 268–269  
 Right-sided precordial leads, 38, 58, 77, 125, 132t, 134, 304, 348–350, 372, 373  
 Right ventricular cardiomyopathy (*see* Right ventricular dysplasia)  
 Right ventricular  
 dysplasia, 16, 22, 28  
 hypertrophy (RVH), 42–44, 46, 58, 69, 73–75, 77–78, 107, 116–120, 127, 271  
 infarction, 107, 371, 372  
 MI (RVMI), 28, 331, 346, 349–351, 372–373, 376  
 PVCs, 289, 291–292  
 Roller coaster ECG configuration, 406  
 Rotation, 30, 39, 40, 78  
 RVH (*see* Right ventricular hypertrophy)  
 RVMI (*see* Right ventricular MI)  
 Saddleback ECG pattern (*see* Brugada ECG)  
 SART (*see* Sinoatrial Reentrant Tachycardia)  
 Second-degree AV block (*see* Atrioventricular block)  
 Secondary ST segment depression, 386  
 Septal activation 58–59, 60, 126, 134  
 Septum, 58–60, 107, 126, 134, 338  
 Serum calcium, 408–412  
 normal level of total, 408, 409  
 Serum potassium, 305, 382, 396, 397, 401, 403–404, 407  
 Shortened PR interval, 270  
 Sick sinus syndrome, 102, 148–150, 153, 158, 161, 163–166, 244, 258, 415, 432, 435, 440, 442, 443  
 Signal, calibration, 48, 52  
 Sine waves (*see* Waves, sine)  
 Single chamber atrial pacemaker, 414–416, 432  
 Single chamber ventricular pacemakers, 414, 415, 431, 432  
 Sinoatrial exit block, 149–151, 161  
 Sinoatrial reentrant tachycardia (SART), 182, 187, 207–208, 227–230  
 Sinoventricular rhythm, 397, 399, 402  
 Sinus  
 arrest, 101–102, 149–151, 159–161, 163, 168, 169, 172, 443  
 arrhythmia, 9, 93, 150, 159–161, 164  
 arrhythmia, ventriculophasic, 93, 94  
 bradycardia, 9, 149, 159, 160, 163, 164, 172, 173, 351t, 364, 370, 372  
 inappropriate, 149, 159, 161, 163  
 node cells, 2–4, 182, 183, 211  
 node dysfunction, 148–166  
 pauses, 149, 150, 155, 159–161, 163–165, 172, 174  
 Sinus tachycardia, 9, 21, 74, 76, 131, 180–185, 195, 206–208, 213–215, 226–230, 335, 370, 424–428, 430–431, 445  
 inappropriate, 180–183, 212  
 physiologic, 181, 211  
 and SART, 230  
 Slow pathway (SP), 185t, 188–190, 192–194, 196, 198, 199, 206  
 Sodium bicarbonate, 403, 404  
 Sodium channel blockers, 304, 377, 436  
 Sodium channels, 7, 303, 362, 444  
 Sodium ions, 3, 5–7, 302, 303  
 Sotalol, 148, 216, 225, 234, 239, 244, 257t, 258, 261t, 280, 281, 302, 306, 307, 329t, 438, 446  
 SP (*see* Slow pathway)

- Spontaneous depolarization, 4, 7
- ST-elevation myocardial infarction, 331–378, 388–389 (*see also* Acute coronary syndrome)
- ST segment depression, 70, 71, 73, 127, 239, 341, 347, 357, 368, 369, 373, 379, 385–387, 389–392
- concordant, 124, 130, 354, 355, 356, 357
  - discordant, 124, 130, 354, 357–358
  - in V1 to V3, 342, 344, 345, 371, 372
- ST segment elevation, 20–21 (*see also* Acute coronary syndrome)
- concordant, 135, 356, 358
  - discordant, 135, 358, 359
  - in normal individuals, 20–21
- Statins, 375, 394, 437
- Stents, bare metal, 374, 393
- Strain, acute right heart, 74, 76
- Streptokinase, 373, 374, 394
- Subendocardial ischemia, 380–383, 385, 391
- Sudden death, 79, 97, 106, 146, 153, 162–164, 281–283, 298, 299, 301–305, 308–309, 352, 371, 377, 378
- Superconducting AV node, 286
- Supernormal phase, 4, 8
- Supraventricular tachycardia (SVT), 184–232
- algorithm, 228–231
  - enhanced automaticity, 211–226
  - mechanism, 184–186
  - reentry, 187–210
  - triggered activity, 226–227
- SVT (*see* Supraventricular tachycardia)
- Syncope, 97, 106, 146, 150, 153, 162–164, 166, 195, 208, 293–295, 299, 303–305, 328, 362, 419, 422
- T-waves, 21, 379–383
- abnormal, 380–383
  - normal, 21, 379–380
- T-wave infarct, 381, 383, 391
- T-wave inversion, 331, 368, 369, 379, 380, 383–385, 392
- Tachycardia (*see* individual tachycardias)
- Tachycardia-bradycardia syndrome, 148–150, 152, 153, 161, 163
- Takotsubo cardiomyopathy, 359, 363
- Tall QRS complexes in V1, 77
- Tall voltages, 52, 53, 70, 76, 133, 135
- TARP (*see* Total atrial refractory period)
- Tenecteplase, 374, 394
- Theophylline, 165, 174, 186t, 196, 207, 215, 216, 219, 435
- Thrombolytic therapy, 331, 334–336, 342, 365, 371, 373–375, 377, 385, 386
- Tombstoning electrocardiographic pattern, 377
- Torsades de pointes, 20, 244, 258, 294–299, 302, 307, 406, 407, 442–444, 446
- Total atrial refractory period (TARP), 428
- Total QRS voltage, 70, 71
- T-P segment, 21
- TQ segment, 15–17, 21, 388–390
- Transcutaneous pacing, 108, 438
- Transition, early, 40–42
- Transition zone, 39–41, 46, 73, 78, 359–360
- Transmural myocardial necrosis, 365, 366, 391
- Transvenous pacing, 108, 438
- Tricuspid regurgitation, 78, 107
- Trifascicular block, 119, 136–141, 143–147, 356
- Trigeminy, 169, 170, 289–290, 300
- Triggered activity, 185t, 184–186, 226–227
- Triphasic, 169, 322, 324
- Troponins, 335, 369, 373, 381, 392
- Typical atrial flutter, 233, 234, 241, 242, 245
- Typical AVNRT, 190, 194, 199
- Typical AVRT, 199, 201, 202, 205, 206
- U wave, 13, 14, 15, 18, 21 (*see also* hypokalemia)
- Unfractionated heparin, 374, 393
- Unipolar leads, 24–27
- Unipolar electrodes (*see* Pacemakers, cardiac)
- Unstable angina, 331, 332, 337, 369, 374, 377, 379–395
- Upright flutter waves, 238, 241
- Vagal maneuvers for terminating SVT, 195–196
- Vasopressin, 305, 438, 446
- VAT (*see* Ventricular activation time)
- Ventricular
- aberration, 184, 252, 253, 310, 321, 323
  - escape rhythm, 88, 92, 98–100, 106, 109, 138–139, 142–143, 145, 146, 154–156, 236, 252
  - fibrillation (VF), 297–301, 304, 305, 308t, 309, 351t, 352, 370–372, 376, 412, 433, 435, 436, 444, 445
  - flutter, 294, 298–300, 397
  - fusion, 155, 310–314, 326
  - gradient, 395
  - muscle cells, 2–4, 7, 12
  - parasystole, 292–294, 299–301, 308
- Ventricular activation time (VAT), 58, 69, 71, 72, 78, 126
- Ventricular arrhythmias (*see also* Ventricular tachycardia, Ventricular flutter, Ventricular fibrillation)
- classification, 293–294
  - end diastolic, 289
  - interpolated PVC, 288
  - parasystole, 292
  - paired, 289
  - premature ventricular complexes (PVC), 287–292
  - trigeminy, 289
- Ventricular pacing (*see* Pacemakers, cardiac)
- Ventricular repolarization, 12, 21, 57, 59, 60, 72, 301, 404
- rapid, 6, 12
- Ventricular rhythms, 106, 109, 111, 162–164, 352, 414
- accelerated, 109, 111, 397
- Ventricular tachycardia (VT) (*see also* Wide complex tachycardia), 293–309
- bidirectional, 295, 298
  - Brugada syndrome, 303–304
  - bundle branch reentry, 294, 298
  - cardioversion, electrical, 306
  - classification, 293, 294
  - diagnosis of, 310–330
  - long QT, 301–303
  - monomorphic VT, 294, 300, 305
  - nonsustained, 294, 308
  - polymorphic VT, 294–300, 306–307
  - sustained, 294, 301, 305–306, 307–308
  - temporary pacing, 306
  - torsades de pointes, 295, 296, 299–300, 306
- Ventriculoatrial conduction, 157, 274, 280, 287, 289, 310, 314, 326, 423, 427, 432
- Verapamil, 146, 183, 196–197, 206, 208, 215, 216, 220, 232, 235, 243, 244, 255–256, 278, 285, 302, 440, 447
- VF (*see* Ventricular fibrillation)
- Voltage discordance, 76, 77
- VT (*see* Ventricular tachycardia)
- Wandering atrial pacemaker, 154, 156, 159, 161
- Warfarin, 254, 256, 258–261, 437
- Waves, sine, 397, 399, 402
- Wide complex
- AVRT, 272–276, 278, 280, 314, 327
  - SVT, 310, 314, 319, 321, 322, 326–328, 436
- Wide complex tachycardia, 310–330 (*see also* ventricular tachycardia)
- causes of, 310
  - diagnosis with rhythm strip, 310–314
  - diagnosis with 12 lead ECG, 314–330
  - favours VT, 310–321, 326
  - favours SVT, 321–322, 327
  - of uncertain diagnosis, 278
  - of unknown origin, 435, 436, 440
  - physical findings, 324, 328
  - treatment, 328–329, 435, 436, 445
  - wide complex AVRT (*see* WPW syndrome)
- Wolf-Parkinson-White (WPW) Syndrome, 262–286
- and atrial fibrillation, 253, 256, 281–285
  - antidromic AVRT, 273–281
  - Auscultatory findings in, 271
  - localizing the bypass tract
    - during sinus rhythm, 265–272
    - during narrow complex AVRT, 203–205
    - during wide complex AVRT, 275–276
  - narrow complex AVRT, 198–207
  - orthodromic AVRT, 198–207
  - wide complex AVRT, 273–281
- Women, 13, 20, 27, 68, 71, 134, 187, 243, 299, 302, 305, 374, 375, 439
- WPW syndrome (*see* Wolff-Parkinson-White [WPW] syndrome)